

## SUBJECT INDEX VOLUME X

- Age, effects of, on triolein tolerance, 193
- Aging  
cause of atherosclerotic changes in Israel, 407  
effect on T waves of vectorcardiogram, 507
- American College of Cardiology  
annual convention, 1963  
abstracts of papers for, 312  
announcement, 131, 312, 464, 620  
program (1963) highlights, 905  
scientific exhibits for, 770
- International Circuit Course in Lisbon, Madrid, Israel and Turkey, announcement, 620, 770
- obligation of membership, 618
- postgraduate course physiology and biochemistry Dec. 4-6, 1962, 619
- President's (1962) address, 309
- President's Column, 145, 308, 464, 618, 903
- scientific exhibit award 1962, 147
- standing committees for 1962-63, 146
- Woodian Logic, President's address 1962, 309
- workshop programs  
in New Orleans announced, 771  
in Boston, 906
- Young Investigators' Awards  
conditions announced for 1963, 313, 465, 621  
deadline extended, 770  
winners for 1962, 145
- Amyloidosis, cardiac, review of, 460
- Angiocardiogram in pulmonary stenosis, 634
- Antimony dimercaptosuccinate toxicity, 829
- Aorta  
anatomic changes of, in Israel, 407  
hyperplasia of ascending, with coronary hypertension, case report, 746  
right descending and left aortic arch with left superior vena cava, 132  
transposition of, with pulmonary artery both arising from left ventricle, case report, 601
- Aortography, in patent ductus arteriosus with ventricular septal defect, 475
- Arrhythmia  
ectopic rhythm precipitated by isoproterenol in dogs, 242  
result of antimony-treated schistosomiasis in China, 367  
treatment with Rhythmol, 856  
ventricular tachycardia, rapid, terminated by metaraminol, 579
- Arteriosclerosis  
in China, 367  
in diabetics, geographic pathology of, in East Africa compared to United States, 390
- Arteriosclerosis (*continued*)  
in Japan, 371
- Arteriosclerotic heart disease  
in Italy, 341
- Atherosclerosis  
in Israel, changes in aorta due to aging rather than ethnic group, 407  
levels of radioactivity of blood establish reliable index of, 807
- Atherosclerotic heart disease  
in Philippine hospital population, 362  
in United States, 319
- Auscultation  
mediate, Laennec on, 859
- A-V block  
and asystole treated successfully by intracardiac pacemaker, 298  
conversion to A-V dissociation by implanted pacemaker, 547  
due to gumma of interventricular septum, 879  
Wenckebach type, with long P-R interval, 458
- A-V canal  
common, electro- and vectorcardiographic changes after surgery for, 643
- A-V conduction  
concealed, 138  
direct relation to atrial supply of septum, 447
- A-V dissociation  
digitalis-induced in dogs, 239
- A-V nodal escape beats, ventricular aberration of, 217  
with ventricular captures, experimental, in patients with 2:1 A-V block, 547
- A-V nodal rhythm types after sinus node eliminated in dogs, 235
- A-V orifice, combined, 291
- Awards  
Donald E. Gregg receives Distinguished Federal Civilian Service Award, 620
- Ballistocardiograph Research Society meeting abstracts, 462
- Beriberi heart disease in Japan, 371
- Blood flow  
coronary, increased by progressive hypoxemia in hypothyroid dog, 840  
pulmonary, Galen on, 738
- Blood pressure  
diastolic, measured by palpation, 615  
high, *see* Hypertension  
index to development of hypertension, 416, 424

July (pp. 1-148); August (149-314); September (315-466); October (467-622);  
November (623-772); December (773-918).

## SUBJECT INDEX VOLUME X

- Age, effects of, on triolein tolerance, 193
- Aging  
cause of atherosclerotic changes in Israel, 407  
effect on T waves of vectorcardiogram, 507
- American College of Cardiology  
annual convention, 1963  
abstracts of papers for, 312  
announcement, 131, 312, 464, 620  
program (1963) highlights, 905  
scientific exhibits for, 770
- International Circuit Course in Lisbon, Madrid, Israel and Turkey, announcement, 620, 770
- obligation of membership, 618
- postgraduate course physiology and biochemistry Dec. 4-6, 1962, 619
- President's (1962) address, 309
- President's Column, 145, 308, 464, 618, 903
- scientific exhibit award 1962, 147
- standing committees for 1962-63, 146
- Woodian Logic, President's address 1962, 309
- workshop programs  
in New Orleans announced, 771  
in Boston, 906
- Young Investigators' Awards  
conditions announced for 1963, 313, 465, 621  
deadline extended, 770  
winners for 1962, 145
- Amyloidosis, cardiac, review of, 460
- Angiocardiogram in pulmonary stenosis, 634
- Antimony dimercaptosuccinate toxicity, 829
- Aorta  
anatomic changes of, in Israel, 407  
hyperplasia of ascending, with coronary hypertension, case report, 746  
right descending and left aortic arch with left superior vena cava, 132  
transposition of, with pulmonary artery both arising from left ventricle, case report, 601
- Aortography, in patent ductus arteriosus with ventricular septal defect, 475
- Arrhythmia  
ectopic rhythm precipitated by isoproterenol in dogs, 242  
result of antimony-treated schistosomiasis in China, 367  
treatment with Rhythmol, 856  
ventricular tachycardia, rapid, terminated by metaraminol, 579
- Arteriosclerosis  
in China, 367  
in diabetics, geographic pathology of, in East Africa compared to United States, 390
- Arteriosclerosis (*continued*)  
in Japan, 371
- Arteriosclerotic heart disease  
in Italy, 341
- Atherosclerosis  
in Israel, changes in aorta due to aging rather than ethnic group, 407  
levels of radioactivity of blood establish reliable index of, 807
- Atherosclerotic heart disease  
in Philippine hospital population, 362  
in United States, 319
- Auscultation  
mediate, Laennec on, 859
- A-V block  
and asystole treated successfully by intracardiac pacemaker, 298  
conversion to A-V dissociation by implanted pacemaker, 547  
due to gumma of interventricular septum, 879  
Wenckebach type, with long P-R interval, 458
- A-V canal  
common, electro- and vectorcardiographic changes after surgery for, 643
- A-V conduction  
concealed, 138  
direct relation to atrial supply of septum, 447
- A-V dissociation  
digitalis-induced in dogs, 239
- A-V nodal escape beats, ventricular aberration of, 217  
with ventricular captures, experimental, in patients with 2:1 A-V block, 547
- A-V nodal rhythm types after sinus node eliminated in dogs, 235
- A-V orifice, combined, 291
- Awards  
Donald E. Gregg receives Distinguished Federal Civilian Service Award, 620
- Ballistocardiograph Research Society meeting abstracts, 462
- Beriberi heart disease in Japan, 371
- Blood flow  
coronary, increased by progressive hypoxemia in hypothyroid dog, 840  
pulmonary, Galen on, 738
- Blood pressure  
diastolic, measured by palpation, 615  
high, *see* Hypertension  
index to development of hypertension, 416, 424

July (pp. 1-148); August (149-314); September (315-466); October (467-622);  
November (623-772); December (773-918).

## Book reviews

- Congenital Heart Disease (Morse), 769
- Differentiation Between Normal and Abnormal in Electrocardiography (Simonson), 306
- Disturbances of Heart Rate, Rhythm and Conduction (Corday and Irving), 616
- Handbook of Physiology Section 2. Circulation (Hamilton and Dow), 902
- Heart Damage in Dogs Subjected to Hypothermia, With or Without Complicating Cardiac Operations (Sarajas), 617
- Heart Disease and the Law (McNiece), 616
- Klinische Elektrokardiographie (Holzman), 143
- Some Aspects of Obliterative Vascular Disease of the Lower Limb (Gillespie and Douglas), 144
- Taschenbuch der Digitalistherapie (Niedner), 306
- The Pluricausal Cardiopathies (Selye), 306
- Varicose Veins (Foote), 306
- Vecto: Electrocardiography (Uhley), 902
- You and Your Doctor. The Common Sense Guide to Medical Care (Potter), 902
- Buerger's disease in Japan, 371
- Bundle branch block
  - induced, in WPW syndrome, 650
  - left, effect of on activation of left ventricle, 101
  - left intermittent, hemodynamic changes shown by left heart catheterization, 792
  - WPW syndrome with, 657

## Cardiac arrest

- closed chest, as adjunct to external defibrillation for, 120, 128
- pneumatic pump, portable, for external cardiac massage during, 107

## Cardiac catheterization

- by antethoracic pancardiocentesis, 74
- by percutaneous puncture, 80
- by simultaneous sampling of left ventricle and left atrium, 62
- by triple-platinum hydrogen electrode, 70
- data in case of muscular dystrophy, 890
- fibrillation during, treated by closed chest massage and external defibrillation, 120
- left heart, in mitral disease, 57
- left-sided, in bundle branch block, 792
- left ventricular and atrial sampling to estimate mitral regurgitation, 62
- mitral stenosis, pathophysiology of, revealed by, 773
- right heart, coronary occlusion produced by, 110
- Cardiac massage, closed chest, as adjunct to external defibrillation, 120, 128

## Cardiac murmurs, classification of, in children, 141

## Cardiac resuscitation

- closed chest, results in hospital, 554
- hemodynamic effects of open and closed chest, in dogs, normal and with myocardial infarction, 555

Cardiac resuscitation (*continued*)

- open chest, following myocardial infarction, 124
- Cardiovascular disease
  - in Civil War recruits (1863), 583
  - in Italy, morbidity of, 341
  - in the United States, 319
  - symposium on epidemiology of, 315-389
- Catecholamines, blood concentration and hemodynamic effects in normal and labile hypertensive patients, 819
- Cerebral vascular disease in Japan, 371
- Cholesterol factor in myocardial infarction among diabetics in United States and East Africa, 390
- Cigarette smoking, fatty acids increased by, in patients with healed myocardial infarction, 204
- Circulation
  - extracorporeal support in cardiac disease, 149
  - hyperkinesis syndrome of, 785
- Coarctation of aorta (Legrand in 1833), 266
- Commissurotomy, mitral, systemic embolism, 460
- Congenital anomalies
  - common A-V canal, electro- and vectorcardiographic changes after surgery for, 643
  - common A-V orifice, 291
  - coronary arteries arising from pulmonary artery, 595
  - coronary arterial fistula
    - features of, leading to preoperative diagnosis, 588
    - into cardiac chamber, surgery for, 467
  - hyperplasia of ascending aorta with coronary hypertension, 746
  - in China, 367
  - in Equatorial African tribes, 432
  - in India, 380
  - in Italy, 341
  - in United States, 319
  - left aortic arch and right descending aorta with left superior vena cava, 132
  - left ventricular-right atrial canal, preoperative diagnosis and treatment of, 623
  - Marfan syndrome, unusual features of, 767
  - patent ductus arteriosus with ventricular septal defect, 475
  - pulmonary insufficiency confirmed by intracardiac phonocardiography, 282
  - pulmonary valvular insufficiency, 287
  - transposition of great vessels
    - arising from left ventricle, 601
    - without associated anomalies, corrected, 605
  - unilateral absence of pulmonary artery, 706
- Congenital heart disease
  - classification of, based on pathologic complex, 733
- Cor pulmonale
  - diagnosis and therapy of subacute, 38
  - in China, 367
  - in India, 380
  - in Philippine hospital admissions, causes of, 362
  - chronic, ECG and VCG alterations in, 20
  - in Italy, 341
  - paracoccidioidomycosis as cause of, 30

- Coronary artery  
 anomalous origin of both from pulmonary artery, 595  
 fistulas of, surgery for, 467
- Coronary heart disease  
 in China, and diet, 367  
 in Equatorial African tribes, 432  
 in Greece higher in urban than rural areas, 349
- Coronary heart disease  
 in India, 380  
 in Japan, 371  
 intimal disease begins later in Kyushu than in Boston, 400
- Coronary occlusion result of right heart catheterization, 110
- Cushing's syndrome, surgical treatment of, 142
- Customs as factor in cardiovascular disease in India, 380
- Cyanosis in hepatic schistosomiasis and portal cirrhosis, 496
- Deaths**, Paul Hamilton Wood, 309
- Defibrillation, electroshock by direct current preferable, in dogs, 223
- Diet, influence of  
 on cardiovascular disease  
 in India, 380  
 in Italy, 341  
 in Japan, 371  
 on coronary heart disease  
 in China, 367  
 in tribes of Equatorial Africa, 432
- Digitalis  
 sensitivity to, not increased by surgical heart block, 248  
 toxicity  
 ectopic rhythm precipitated by isoproterenol in dogs, 242  
 treatment of, 298
- Drugs  
 antimony dimercaptosuccinate less toxic than other antimony compounds, 829  
 chlorothiazide, effect in hypertension, 183  
 chlorothiazide in Stokes-Adams seizures with A-V block, 767  
 chlorthalidone, antihypertensive and diuretic, 570  
 dextran in dogs prevents microcirculatory aggregation of myocardial necrosis, 695  
 digitalis toxicity in dogs treated with isoproterenol, 242  
 d-thyroxine in hypercholesterolemia, 198  
 heparin in single doses does not affect postprandial hyperlipemia, 815  
 isoproterenol  
 effects of, in dogs with digitalis cardiotoxicity, 242  
 provocative agent in hypertrophic subaortic stenosis, 489  
 metaraminol improves coronary arterial flow to terminate ventricular tachycardia, 479  
 methoxamine in subaortic stenosis, 489  
 mytatrienediol in hypercholesterolemia, 198
- Drugs (*continued*)  
 nicotinic acid in hypercholesterolemia, 198  
 potassium salts, oral, reverses T wave, 673  
 quinidine action on molecular level, 252  
 40HM 6M quinoline, cardiovascular effects of, in dogs, 252  
 Rhythmol, results of treatment of arrhythmias, 856  
 THAM in quinidine cardiotoxicity, 562  
 triolein, tolerance of, and age, 193  
 triparanol in hypercholesterolemia, 198
- Electric alternation of heart**, physiologic derangement during, 155
- Electrical axis, method of measuring, 453
- Electrocardiogram  
 abnormalities and atrial flutter in case of myotonic dystrophy, 886  
 attachment to measure electrical axis, 453  
 A-V nodal escape beats, 217  
 balsa-lithium electrode eliminates need for jelly or paste, 846  
 during electroconvulsive therapy, 187  
 in chronic cor pulmonale, 20  
 in common A-V canal, 643  
 in interstitial lung disease, 14  
 in metastatic cardiac tumor, 882  
 in obstructive lung disease, 5  
 in parasympole induced by internal pacemaker in man, 535  
 in pectus excavatum, changes positional, 272  
 in WPW syndrome with bundle branch block, 657  
 T-V<sub>1</sub> taller than T-V<sub>6</sub>, early sign of myocardial disease, 764
- Electroconvulsive therapy, electrocardiographic changes during, 187
- Electroshock  
 alternating and direct current compared for defibrillation, 223  
 for ventricular fibrillation, 128
- Embolism, postoperative, low in Japan, 371
- Embolus, systemic, not prevented by commissurotomy, 460
- Emphysema, hemodynamics in, during exercise, 46
- Endomyocardial fibrosis, in Equatorial African tribes, 432
- Enzymes,  $\alpha$ -hydroxybutyric dehydrogenase activity in diagnosis of myocardial infarction, 525
- Epidemiology  
 Symposium on, of heart disease, 315
- Epidemiology of cardiovascular disease  
 atherosclerosis in Israel, 407  
 correlation of studies on, 312  
 hypertension, study of blood pressure among Negroes in Liberia, 424  
 in Africa, 432  
 in China, 367  
 in Greece among general hospital patients, 349



- Epidemiology of cardiovascular disease (*continued*)  
 in India, 380  
 in Italy, mortality from, compared with U. S., United Kingdom, Japan, 341  
 in Japan, compared to other countries, 371  
 in Philippines among hospital patients, 362  
 in United States, trends, types, controls, 319
- Errata  
 "Sinus Premature Systoles," 137  
 "Anomalous Origin of Both Coronary Arteries," 901
- Exercise  
 effects on venous admixture in valvular heart disease, 52  
 influence of, on premature contractions, 209
- Fasting  
 effect on fibrinolysis, 532  
 serum cholesterol increased by, 532
- Fatty acid  
 free, elevated by cigarette smoking, 204  
 patterns of, in myocardial infarction among diabetics in U. S. and East Africa, 390
- Fibrillation, ventricular  
 closed chest massage and external defibrillation for, 120  
 during cardiac catheterization, 120  
 external electric countershock for, 128  
 pneumatic pump for external cardiac massage, 107
- Fibrinolysis, effect of fasting on, 532
- Fistula, congenital coronary, diagnosis, 588
- Geography, factor in coronary heart disease, 400
- Gumma of interventricular septum causes A-V block, 879
- Heart  
 atrial supply of septum shown dependent on A-V conduction, 447  
 physiology during electric alternation, 155  
 premature contractions and exercise, 209  
 Purkinje and trabecular muscle fiber cells show response differences in dogs, 688
- Heart block  
 A-V, digitalis for, in dogs, 248  
 caused by concealed A-V conduction, 138  
 intracardiac bipolar electrode for, 261
- Heart disease  
 changing mortality in types of, 900  
 congenital, indicator-dilution curves for diagnosis of, 83  
 congestive failure of, usually result of phleboscrosis, 836  
 correlation of epidemiologic studies of, 315
- Heart disease (*continued*)  
 symposium on epidemiology of, 315  
 valvular, venous admixture during exercise in, 52
- Heart failure, paracoccidioidomycosis as cause of, 30
- Heart murmur  
 diastolic, 282  
 tricuspid systolic, disappeared with nodal rhythm, 278
- Heart rate, interim pacemaker used before surgery, 261
- Heart surgery, evaluation  
 by antethoracic pancardiocentesis, 74  
 for direct percutaneous puncture, 80
- Hemodynamics  
 cardiopulmonary, in emphysema, during exercise, 46  
 effects, systemic, of chlorothiazide, 183
- Heparin, single doses ineffective in postprandial hyperlipemia, 815
- Historical Milestones  
 Coarctation of the aorta (Legrand, 1833), 266  
 Examination of recruits in Civil War (Bartholow, 1863), 583  
 Forbes' translation of Laennec, 859  
 Galen on pulmonary blood flow, 738
- $\alpha$ -Hydroxybutyric dehydrogenase activity in diagnosis of myocardial infarction, 525
- Hypercholesterolemia, therapeutic agents for, 198
- Hyperkinesis, essential circulatory, diagnosis, therapy and prognosis of, 785
- Hyperlipemia, postprandial, not altered by single doses of heparin, 815
- Hypertension  
 chlorthalidone effective, long-acting for, 570  
 coronary, cause of hypoplasia of ascending aorta, 746  
 effects of chlorothiazide in, 183  
 essential, incidence of among men, in relation to blood pressure, 10-15 year follow-up study, 416  
 in China, 367  
 in Equatorial African tribes, 432  
 in India, 380  
 in Italy higher in urban than rural areas, 349  
 in Japan, 371  
 in Negroes in U. S. and in Liberia, study of blood pressure, 424  
 in Philippine hospital admissions, 362  
 in United States, 319  
 portal, cyanotic syndrome of, due to hepatosplenic schistosomiasis and portal cirrhosis, 496  
 pulmonary, from unilateral absence of pulmonary artery, 706
- Hypothermia, use in cardiac disease, 149
- Hypoxemia, progressive, and coronary blood flow in hypothyroid dog, 840
- Indicator-dilution curves, technic and interpretation in congenital heart disease, 83
- Indocyanine green, use in diagnosis of congenital heart disease, 83
- Infarction, myocardial, free fatty acid greater than normal after smoking in patients with healed, 204

- Interstitial disease of lungs, ECG changes related to pulmonary function in, 14
- Isovolumetric contraction time and tension, measurement of pre-ejection ventricular systole, 800
- K**
- Kershan disease in China, study of, 367
- L**
- Laennec, Forbes' translation of, 859
- Left ventricular-right atrial canal, electro- and radiographic features for preoperative diagnosis and treatment of, 623
- Lipids, serum, reduction by hypercholesterolemic agents, 198
- Lung disease, obstructive, ECG in, 5
- M**
- Marfan syndrome, involvement of skeletal and cardiovascular system, 767
- Microcirculation, abnormalities of, in dogs during myocardial necrosis prevented by dextran, 695
- Mitral disease
- left heart catheterization as measure of, 57
  - ventriculography as measure of, 57
- Mitral regurgitation
- left atrial sampling to estimate, 62
  - catheterization to measure degree of, 57
- Mitral stenosis
- catheterization of left heart to differentiate from regurgitation, 57
  - dye injection studies to measure, 62
  - measure of, by simultaneous intracardiac phonocardiography and electrocardiography, 95
  - pulmonary vascular disease determines disability shown by catheterization state, 773
  - surgical treatment of, 1
- Mortality
- changing in types of heart disease, 900
  - studies of, from cardiovascular disease, *see* Epidemiology
- Muscular dystrophy, progressive, involving heart, hemodynamic data of a case, 890
- Myocardial disease, T-V<sub>1</sub> taller than T-V<sub>6</sub> as early sign of, 764
- Myocardial infarction
- open chest resuscitation for, 124
  - patients show high levels of fat in blood, 807
- Myotonic dystrophy, atrial flutter in, 886
- N**
- New instrumentation
- attachment permits recording high frequency components of murmurs, 852
- New instrumentation (*continued*)
- axis indicator to measure electrical axis, 453
  - balsa-lithium electrode eliminates need for jelly or paste in electrocardiography, 846
  - intracardiac bipolar electrode for heart block, 261
  - intracardiac pacemaker, 298
  - method for recording intracellular currents of single cardiac cells, 688
  - platinum hydrogen electrode to detect left-to-right-shunts, 70
  - pump, portable pneumatic, for external cardiac massage, 101
  - rectified phonocardiography, 852
- P**
- Pancardiocentesis, antethoracic, to measure pressure and flows in heart, 74
- Paracoccidioidomycosis, cause of chronic cor pulmonale, 30
- Pectus excavatum, hemodynamic and electrocardiographic changes, 272
- Percutaneous puncture for evaluation of heart, aorta and pulmonary artery for surgery, 80
- Phleboscrosis of pulmonary veins, usually associated with congestive failure, 836
- Phonocardiogram, in pulmonary stenosis 634
- rectified, permits recording of high frequencies of murmurs, 852
  - intracardiac, simultaneous with ECG for study of mitral stenosis, 91
- Pistol shot sounds, venous, systolic in origin in tricuspid insufficiency, 667
- Postgraduate course
- cardiology, physiology and biochemistry, Dec. 4-6, 620
- President's Column
- Fourth World Congress of Cardiology, 308
  - Obligation of College Membership, 618
  - Paths to Research in Cardiology, 903
  - Taking Stock, 145
- Pulmonary artery
- idiopathic dilatation of with pulmonary insufficiency, 282
  - stenosis of, anatomic types in relation to hemodynamic changes, 634
  - transposition with aorta, both arising from left ventricle, 601
  - unilateral absence of, a review, 706
- Pulmonary insufficiency, with dilatation of pulmonary artery, diagnosis confirmed by phonocardiography, 282
- Pulmonary valvular insufficiency, asymptomatic, hemodynamic changes in, 287
- Q**
- Quinidine cardiotoxicity in dogs corrected by THAM, 562

**Race factor**

- in cardiovascular disease
  - in Equatorial Africans, 432
  - in India, 380
  - in Philippine natives and Chinese compared, 367
- in myocardial infarction in diabetics of U. S. and East Africa, 390

**Regurgitation**

- left atrial sampling to estimate, 62
- mitral, catheterization to measure, 57
- traumatic aortic, diagnosis and treatment, 752

**Religion. factor in cardiovascular disease in India, 380****Reviews**

- amyloidosis, cardiac, 460
- congenital heart disease, pathologic classification, 733
- congenital coronary artery fistula, 66 reported cases 588
- unilateral absence of pulmonary artery, 706

**Rheumatic heart disease**

- in China, 367
- in Equatorial African tribes, 432
- in Greece, epidemiology of, 349
- in India, 380
- in Italy, 341
- in Philippines hospital patients, 367
- in United States, 319

**Rhythm, nodal**

- A-V, after cooling or clamping sinus node in dogs, 235
- induced by norepinephrine, corrects a tricuspid murmur, 278

**Rhythmol, results of treatment, 856****Sarcoidosis cause of fatal ventricular tachycardia, 864****Sarcoma, cardiac. successful removal of, 871****Schistosomiasis**

- antimony treatment of, in China, cause of cardiac arrhythmias, 367
- cardiotoxic effects of antimony dimercaptosuccinate treatment, 829
- pulmonary, cause of cor pulmonale in Philippines, 362

**Shunts, left-to-right, detected by triple-platinum hydrogen electrode, 70****Stenosis**

- mitral, surgical treatment of, 1
- pulmonary, anatomic types of, in relation to hemodynamic changes, 634

**Steroids effective in patients with subacute bacterial endocarditis sensitive to penicillin, 575****Stokes-Adams seizures with A-V block prevented with chlorothiazide, 767****Subacute bacterial endocarditis, steroids useful in patients allergic to penicillin, 575****Subaortic stenosis, hypertrophic, hemodynamic changes induced by isoproterenol and methoxamine, 489****Surgery**

- extracorporeal circulation in, 149
- Taussig-Bing complex corrected by, 166
- Sydenham's chorea in India, 380

**Symposium on the epidemiology of heart disease, 315****Syncope, micturition, 615****Syphilitic heart disease**

- in Equatorial African tribes, 432
- in India, 385

**T wave changes, functional and organic, differentiated by oral potassium salts, 673****Tachycardia, ventricular, fatal, caused by cardiac sarcoidosis, 864****Taussig-Bing complex, physiologic studies of, 166****Transposition of great vessels**

- with associated anomalies, 601
- without associated anomalies, corrected, 605

**Tricuspid insufficiency, venous pistol shots in, systolic in origin, 667****Triglycerides, reduction by hypercholesterolemic agents, 198****Triolein, tolerance of, and age, 193****Tumor, metastatic cardiac. electrocardiographic evidence of, 882****Valvular lesions**

- in India, 380
- multiple, antethoracic pancardiocentesis for diagnosis of, 74
- traumatic, of aortic valve, case report, 752

**Vectorcardiogram**

- in chronic cor pulmonale, 20
- in common A-V canal, 643
- in WPW syndrome with bundle branch block, 650, 657
- normal, quantitative characteristics of QRS loop by Frank lead system, 514
- normal TsE loop, spatial orientation of, 507

**Vena cava, left superior, with left aortic arch and right descending aorta, 132****Ventricle**

- activation of left, experimental, after ventriculotomy and left bundle branch block, 101
- pre-excitation zones in right and left, in WPW syndrome, 650
- septal defect of, with silent patent ductus arteriosus, 475

**Ventricular hypertrophy, right**

- electrocardiographic evidence of, related to pulmonary function, 5, 14
- relation to cor pulmonale, 20

**Ventricular parasystole in normal child, electrocardiographic features of, 302****Ventricular systole**

- isometric contraction time in left bundle branch block, 792
- pre-ejection phase of, measured by isovolumetric contraction time and tension period, 800

**Ventriculography, measure of degree of mitral regurgitation by, 57**

Ventriculotomy, effect of, on activation of left ventricle,  
101

Wenckebach phenomenon with long P-R interval, 458

World Congress of Cardiology announcement, 308

WPW syndrome

bundle branch block in, 657

WPW syndrome (*continued*)

pre-excitation zones in right and left ventricles, shown  
by experimental study in man, 650

Young Investigators' Awards

conditions announced for 1963, 313, 465, 621

deadline for 1963 extended, 770

winners announced for 1962, 145



